Google

crest factor

Search Advanced Search Preferences

Web

Results 1 - 10 of about 1,310,000 for crest factor. (0.11 seconds)

#### [PDF] What Is The "Crest Factor" And Why Is It Used?

File Format: PDF/Adobe Acrobat - View as HTML

The Crest Factor is equal to the peak amplitude of a waveform divided by the. RMS value.

The purpose of the **crest factor** calculation is to give an analyst a ...

www.dliengineering.com/downloads/crest%20factor.pdf - Similar pages

#### **Crest Factor**

The **Crest factor**, also sometimes called the "peak-to-RMS-ratio", is defined as the ratio of the peak value of a waveform to its RMS value. ... www.dliengineering.com/vibman/crestfactor1.htm - 7k - <u>Cached</u> - <u>Similar pages</u>

### Crest factor - Wikipedia, the free encyclopedia

DC voltages have a **crest factor** of 1 since the RMS and the peak amplitude are equal, and it is the same for a square wave (of 50% duty cycle). ... en.wikipedia.org/wiki/**Crest\_factor** - 23k - <u>Cached</u> - <u>Similar pages</u>

### [PDF] Understanding Power Factor, Crest Factor, and Surge Factor

File Format: PDF/Adobe Acrobat - View as HTML

This paper explains the technical terms of Power Factor, Crest Factor, .... because high crest factor causes overheating of power supply components

crest factor causes overheating of power supply components. ...

www.datacenterjournal.com/Tools/WhitePapers/file.asp?f=Understanding-Power-Factor-by-APC.pdf&n=Unders... - <u>Similar pages</u>

### Riding the crest-factor wave - 3/17/2005 - EDN

Crest factor is a unitless figure of merit that engineers use to describe a signal. Engineers can use it to describe the purity of voltage, current, ... www.edn.com/article/CA509573.html - Similar pages

#### [PDF] Tech Musings

File Format: PDF/Adobe Acrobat

1 – THE CREST FACTOR of any repetitive waveform is the ratio of its ... crest factor.

Crest factors above this. critical value will usually read low, ...

www.tinaja.com/glib/muse125.pdf - Similar pages

#### Crest factor analysis for complex signal processing

click here for article As the 21st century gains momentum, more and more of today's communications systems are using designs based on digital modulation ... rfdesign.com/mag/radio crest factor analysis/ - 54k - Cached - Similar pages

#### Definition: crest factor

crest factor: The peak-to-rms voltage ratio of an alternating current (ac) signal. [T1.401-1988]. These definitions were prepared by ATIS Committee T1A1. ... www.atis.org/tg2k/\_crest\_factor.html - 2k - Cached - Similar pages

#### (PDF) POWER NOTES

File Format: PDF/Adobe Acrobat - View as HTML

temperatures in the transformer, voltage distortion and high crest factor. 2. Harmonics

have higher frequency than the fundamental (60Hz); the 5 ...

www.pge.com/docs/pdfs/biz/power\_quality/power\_quality\_notes/harmonics.pdf -

Similar pages

#### **Crest Factor Reduction**

Broadband Wireless Solutions, Modem Designs, Information Appliances - Xilinx ,eSP is the first web portal dedicated to providing comprehensive solutions ...

### 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> **Next**

Free! Get the Google Toolbar. <u>Download Now</u> - <u>About Toolbar</u>



crest factor

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google



#### Welcome United States Patent and Trademark Office

☐ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

SUPPORT

Results for "((crest factor )<in>metadata)"

Your search matched 227 of 1583645 documents.

☑e-mail 🚇 printer friendly

» Search Options

View Session History

**New Search** 

» Key

IEEE Journal or **IEEE JNL** 

Magazine

**IET JNL** IET Journal or Magazine

IEEE Conference **IEEE CNF** 

Proceeding

IET Conference **IET CNF** 

Proceeding

IEEE STD IEEE Standard

**Modify Search** 

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

((crest factor)<in>metadata)

view selected items.

Search

View: 1-25 | 26-50 | 51-75 | 76-100

Check to search only within this results set

1. Crest factor minimization in the frequency domain

Solomou, M.; Evans, C.; Rees, D.; Instrumentation and Measurement, IEEE Transactions on

Select All Deselect All

Volume 51, Issue 4, Aug. 2002 Page(s):859 - 865 Digital Object Identifier 10.1109/TIM.2002.803510

AbstractPlus | References | Full Text: PDF(650 KB) | IEEE JNL

Rights and Permissions

2. An UPS with proper crest factor and efficiency for computer loads

El-Bakry, M.A.; Aly, A.E.-M.M.; Khalil, H.S.; Shehata, S.A.;

Energy Conversion Engineering Conference, 1997. IECEC-97. Proceedings of the 32nd

Volume 3, 27 July-1 Aug. 1997 Page(s):1726 - 1731 vol.3

Digital Object Identifier 10.1109/IECEC.1997.656682

AbstractPlus | Full Text: PDF(372 KB) | IEEE CNF

Rights and Permissions

3. Simple valley-fill self-oscillating electronic ballast with low crest factor using pulse-Г

frequency modulation

Seidel, A.R.; Bisogno, F.E.; Pappis, D.; Dalla Costa, M.A.; do Prado, R.N.;

Industry Applications Conference, 2003, 38th IAS Annual Meeting, Conference Record of the

Volume 2, 12-16 Oct. 2003 Page(s):779 - 784 vol.2

AbstractPlus | Full Text: PDF(438 KB) | IEEE CNF

Rights and Permissions

4. Crest factor minimisation in the frequency domain

Solomou, M.; Evans, C.; Rees, D.;

Instrumentation and Measurement Technology Conference, 2001. IMTC 2001. Proceedings of

the 18th IEEE

Volume 2, 21-23 May 2001 Page(s):1375 - 1381 vol.2

Digital Object Identifier 10.1109/IMTC.2001.928297

AbstractPlus | Full Text: PDF(544 KB) | IEEE CNF

Rights and Permissions

5. Improving crest factor of electronic ballast-fed fluorescent lamp current using pulse frequency modulation

Jooho Song; Joong-Ho Song; Choy, I.; Ju-Yeop Choi;

Industrial Electronics, IEEE Transactions on

Volume 48, Issue 5, Oct. 2001 Page(s):1015 - 1024

Digital Object Identifier 10.1109/41.954566

AbstractPlus | References | Full Text: PDF(200 KB) | IEEE JNL

Rights and Permissions

### Crest factors of complementary-sequence-based multicode MC-CDMA signals Byoung-Jo Choi; Hanzo, L.;

Wireless Communications, IEEE Transactions on Volume 2, Issue 6, Nov. 2003 Page(s):1114 - 1119 Digital Object Identifier 10.1109/TWC.2003.819040

AbstractPlus | References | Full Text: PDF(395 KB) IEEE JNL Rights and Permissions

#### 7. Distortionless crest factor reduction for forward link CDMA

Chen, N.; Zhou, G.T.;

Signal Processing Advances in Wireless Communications, 2005 IEEE 6th Workshop on 5-8 June 2005 Page(s):294 - 297

Digital Object Identifier 10.1109/SPAWC.2005.1505919

AbstractPlus | Full Text: PDF(207 KB) | IEEE CNF

Rights and Permissions

#### 8. Crest-factor analysis of carrier interferometry MC-CDMA and OFDM systems

Wunder, G.; Paterson, K.G.;

Information Theory, 2004. ISIT 2004. Proceedings. International Symposium on

27 June-2 July 2004 Page(s):426

Digital Object Identifier 10.1109/ISIT.2004.1365463

AbstractPlus | Full Text: PDF(240 KB) | IEEE CNF

Rights and Permissions

### 9. Crest factor considerations in MC-CDMA with carrier interferometry codes

Natarajan, B.; Nassar, C.R.;

Communications, Computers and signal Processing, 2001. PACRIM. 2001 IEEE Pacific Rim

Conference on

Volume 2, 26-28 Aug. 2001 Page(s):445 - 448 vol.2

Digital Object Identifier 10.1109/PACRIM.2001.953665

AbstractPlus | Full Text: PDF(304 KB) IEEE CNF

Rights and Permissions

#### 10. Synthesis of low-crest waveforms for multicarrier CDMA system

Ho, T.F.; Wei, V.K.;

Global Telecommunications Conference, 1995. Conference record. Communication Theory

Mini-Conference, GLOBECOM '95., IEEE

13-17 Nov. 1995 Page(s):131 - 135

Digital Object Identifier 10.1109/CTMC.1995.502946

AbstractPlus | Full Text: PDF(280 KB) | IEEE CNF

Rights and Permissions

#### 11. Crest-factor minimization using nonlinear Chebyshev approximation methods

Guillaume, P.; Schoukens, J.; Pintelon, R.; Kollar, I.;

Instrumentation and Measurement, IEEE Transactions on

Volume 40, Issue 6, Dec. 1991 Page(s):982 - 989

Digital Object Identifier 10.1109/19.119778

AbstractPlus | Full Text: PDF(584 KB) | IEEE JNL

Rights and Permissions

#### 12. Crest-factor study of MC-CDMA and OFDM

Byoung-Jo Choi; Ee-Lin Kuan; Hanzo, L.;

Vehicular Technology Conference, 1999. VTC 1999 - Fall. IEEE VTS 50th

Volume 1, 19-22 Sept. 1999 Page(s):233 - 237 vol.1

Digital Object Identifier 10.1109/VETECF.1999.797130

AbstractPlus | Full Text: PDF(300 KB) IEEE CNF

Rights and Permissions

#### 13. On the phase sequence set of SLM OFDM scheme for a crest factor reduction

Dae-Woon Lim; Seok-Joong Heo; Jong-Seon No; Habong Chung;

Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, **IEEE Transactions on**]

Volume 54, Issue 5, May 2006 Page(s):1931 - 1935

Digital Object Identifier 10.1109/TSP.2006.871979

AbstractPlus | Full Text: PDF(232 KB) | IEEE JNL Rights and Permissions

#### 14. Generalized bounds on the crest-factor distribution of OFDM signals with applications to code design

Litsyn, S.; Wunder, G.;

Information Theory, IEEE Transactions on

Volume 52, Issue 3, March 2006 Page(s):992 - 1006

Digital Object Identifier 10.1109/TIT.2005.864433

AbstractPlus | Full Text: PDF(432 KB) | IEEE JNL

Rights and Permissions

#### 15. Charge pump power-factor-correction dimming electronic ballast

Jinrong Qian; Lee, F.C.; Yamauchi, T.;

Power Electronics, IEEE Transactions on

Volume 14, Issue 3, May 1999 Page(s):461 - 468

Digital Object Identifier 10.1109/63.761690

AbstractPlus | References | Full Text: PDF(184 KB) | IEEE JNL

Rights and Permissions

#### 16. Logtone crest factors

Van der Ouderaa, E.; Renneboog, J.;

Instrumentation and Measurement, IEEE Transactions on

Volume 37, Issue 4, Dec. 1988 Page(s):656 - 657

Digital Object Identifier 10.1109/19.9834

AbstractPlus | Full Text: PDF(180 KB) | IEEE JNL

Rights and Permissions

#### 17. Design of a microwave multisine source using allpass functions estimated in the Richards domain

Van den Broeck, T.; Pintelon, R.; Barel, A.;

Instrumentation and Measurement, IEEE Transactions on

Volume 43, Issue 5, Oct. 1994 Page(s):753 - 757

Digital Object Identifier 10.1109/19.328891

AbstractPlus | Full Text: PDF(304 KB) IEEE JNL

Rights and Permissions

#### 18. Spreading sequences for multicarrier CDMA systems

Popovic, B.M.;

Communications, IEEE Transactions on

Volume 47, Issue 6, June 1999 Page(s):918 - 926

Digital Object Identifier 10.1109/26.771348

AbstractPlus | References | Full Text: PDF(188 KB) | IEEE JNL

Rights and Permissions

### 19. Reducing the crest factor of a CDMA downlink signal by adding unused channelization

Vaananen, O.; Vankka, J.; Viero, T.; Halonen, K.;

Communications Letters, IEEE

Volume 6, Issue 10, Oct. 2002 Page(s):443 - 445

Digital Object Identifier 10.1109/LCOMM.2002.804245

AbstractPlus | References | Full Text: PDF(177 KB) | IEEE JNL

Rights and Permissions

#### 20. Upper bounds on the statistical distribution of the crest-factor in OFDM transmission

Wunder, G.; Boche, H.;

Information Theory, IEEE Transactions on

Volume 49, Issue 2, Feb. 2003 Page(s):488 - 494

Digital Object Identifier 10.1109/TIT.2002.807311

AbstractPlus | References | Full Text: PDF(470 KB) | IEEE JNL

Rights and Permissions

### <sup>21.</sup> Crest factor minimisation in FDM PSK systems

Tan, B.T.; Some, Y.K.;

**Electronics Letters** Volume 26, Issue 13, 21 June 1990 Page(s):859 - 861 AbstractPlus | Full Text: PDF(196 KB) IET JNL

#### 22. Generalized constellations with low crest-factor for OFDM

Wunder, G.; Boche, H.;

Information Theory, 2003. Proceedings. IEEE International Symposium on

29 June-4 July 2003 Page(s):7

Digital Object Identifier 10.1109/ISIT.2003.1228021

AbstractPlus | Full Text: PDF(223 KB) IEEE CNF

Rights and Permissions

#### Γ 23. A new control scheme of Class-E electronic ballast with low crest factor

Hyun-Son Chon; Dong-Yun Lee; Dong-Seok Hyun;

Industry Applications Conference, 2003, 38th IAS Annual Meeting. Conference Record of the

Volume 1, 12-16 Oct. 2003 Page(s):531 - 536 vol.1

AbstractPlus | Full Text: PDF(605 KB) | IEEE CNF

Rights and Permissions

### 24. Reducing the crest factor of CDMA downlink signal by adding unused channelization

Vaananen, O.; Vankka, J.; Viero, T.; Halonen, K.;

Spread Spectrum Techniques and Applications, 2002 IEEE Seventh International Symposium

Volume 2, 2-5 Sept. 2002 Page(s):455 - 459 vol.2

Digital Object Identifier 10.1109/ISSSTA.2002.1048583

AbstractPlus | Full Text: PDF(338 KB) | IEEE CNF

Rights and Permissions

#### 25. Crest factors of Shapiro-Rudin sequence based multi-code MC-CDMA signals

Byoung-Jo Choi; Tellambura, C.; Hanzo, L.;

Vehicular Technology Conference, 2002, VTC Spring 2002, IEEE 55th

Volume 3, 6-9 May 2002 Page(s):1472 - 1476 vol.3

Digital Object Identifier 10.1109/VTC.2002.1002861

AbstractPlus | Full Text: PDF(592 KB) | IEEE CNF

Rights and Permissions

View: 1-25 | 26-50 | 51-75 | 76-100

Help Contact Us Privacy & Security IEEE.org © Copyright 2006 IEEE - All Rights Reserved

Indexed by 🗓 Inspeci

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6529925".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:55
S1	14	"4701873"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR <sub>.</sub>	ON	2007/06/04 11:47
S2	2	"4701873".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ···	ON	2007/02/12 22:02
S3	2	"6381623".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:03
S4	. 4	("5809074"   "5835731"   "6075816"   "6252903").PN. OR ("6381623"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/12 22:06
S5	150	schenk.in. and heinrich.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:07
S6	661718	(error\$1 or correction) and (extreme or maximum or minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:08
S7	29	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:25

		·				
S8	1014	(crest adj factor) and @ad<"20030121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON 	2007/02/12 22:26
S9	128	S8 and (error\$1 or correction\$1) and envelope	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:26
\$10	107	S9 and (extreme or maximum or minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:35
S11	0	S10 and 708/300-409.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:27
S12	2	S10 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/12 22:27
S13	5693	(local adj (extreme or maximum or minimum)) and (error\$1 or correct\$3) and @ad<"20030121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:35
S14	688	S13 and envelope\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:36

			·	r	1	
S15	48	S14 and crest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 22:36
S16	2	"20060115028"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:00
S17		"20050008094"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:01
S18	2	"6529925".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:07
S19	0	chat.xa. and (correction adj vector\$1) -	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:08
S20	8	chat.xa. and ( vector\$1) and 708/300-323.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 21:08
S21	4657	(group near5 (notification alert\$3 warn\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:43
S22	315	((group near5 (notification alert\$3 warn\$3)) same (cellphone pda cell-phone mobile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:45

			T	T	I _	
S23	. 177	S22 and (@ad<"20020910" or @rlad<"20020910")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:52
S24	2	"7020681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:52
S25	1022	(crest adj factor\$1) and @ad<"20030121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52
S26	528	S25 and (error\$1 or correct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:48
S27	102	S26 and window\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:48
S28	0	S27 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/04 11:49
S29	28	S27 and vector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52
S30	80	reduc\$3 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:52

S31	5	(crest adj factor\$1).ti,clm,ab. and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/04 11:54
S32	· 4	((rectangular or triangular or von-hann or gauss or hamming or blackman) near window\$1) and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:56
S33	2	"6529925".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:57
S34	15	("3952189"   "4843562"   "4967161"   "5636247"   "6125103"   "6128351"   "6130918"   "6178158"   "6314146").PN. OR ("6529925"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/04 11:57

6/4/07 3:57:38 PM C:\Documents and Settings\cdo\My Documents\EAST\workspaces\10763046.wsp

Page 5